



MG C AND MG Z PUNCHED HOLES AND ACCESORIES



PUNCHED HOLES AND ACCESSORIES:

MG C AND MG Z
PURLINS

- Together with the MG C and MG Z profiles, we provide you with the necessary accessories for their correct installation and operation, adapting to the specific needs of each client.

SINGLE PUNCHED HOLES



MOD. 1



SLOTTED HOLE

30 x 15 mm.
30 x 18 mm.



MOD. 2



SLOTTED HOLE

30 x 15 mm.
30 x 18 mm.



DOUBLE PUNCHED HOLES



SLOTTED HOLE

30 x 15 mm.
30 x 18 mm.

TIGHTENING HOLES






ROUND

∅ 9 mm.
∅ 18 mm.




CLEATS

Joining element between the purlin and the primary structure.

Single



Double



Thickness up to 3 mm. SLOTTED HOLE 30 x 15 mm.
30 x 18 mm.



C/ Persiles y Segismunda, s/n · 45221 Esquivias / Toledo / Spain
Phone: +34 925 520 035
www.magon.es
magonaceros@magon.es

This document is not a safety manual.

The content and recommendations in the catalogue are informative and non-binding.

MAGON METALES PERFILADOS S.A. reserves the right to modify the contents of this document without prior notice.

General Sales Conditions available on our website www.magon.es